Journal of Human Evolution

Editors

Peter Andrews William Jungers

Associate Editors

Leslie Aiello *London, England*
E. Armstrong *Washington D.C., U.S.A.*
Catherine Badgley *Ann Arbor, U.S.A.*
Ofer Bar-Yosef *Cambridge, U.S.A.*
Günter Bräuer *Hamburg, Germany*
Andrew Chamberlain *Liverpool, England*
Eric Delson *New York, U.S.A.*
Robin Dunbar *London, England*
John Fleagle *Stony Brook, U.S.A.*
Robert Foley *Cambridge, England*
Terry Harrison *New York, U.S.A.*
Richard Kay *Durham, U.S.A.*
Bill Kimbel *Berkeley, U.S.A.*
R. D. E. MacPhee *New York, U.S.A.*
Svante Paabo *Munich, Germany*
Michael Rose *Newark, U.S.A.*
Margaret Schoeninger *Madison, U.S.A.*
Brian Shea *Evanston, U.S.A.*
Fred Smith *DeKalb, U.S.A.*
Holly Smith *Ann Arbor, U.S.A.*
Mark Stoneking *University Park, U.S.A.*
Chris Stringer *London, England*
Mark Teaford *Baltimore, U.S.A.*
Herbert Thomas *Paris, France*
N. Toth *Bloomington, U.S.A.*
Bernard Vandermeersch *Talence, France*
Carel van Schaik *Durham, U.S.A.*
Steve Ward *Kent, U.S.A.*

Volume 21 1991

Academic Press
Harcourt Brace Jovanovich, Publishers
London Orlando San Diego New York Boston Sydney Tokyo Toronto

PERIODICAL
GN
281
.J63
J.H. LIBRARY

Copyright © 1992 by Academic Press Ltd

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in the U.K.

Contents of Volume 21

Number 1
July 1991

ARTICLES

M. Rivero & O. Arredondo — *Paralouatta varonai*, a new Quaternary platyrrhine from Cuba . . 1

K. Schick, N. Toth, W. Qi, J. D. Clark & D. Etler — Archaeological perspectives in the Nihewan Basin, China . . 13

P. Villa & E. Mahieu — Breakage patterns of human long bones 27

P. Houghton — Selective influences and morphological variation amongst Pacific *Homo sapiens* 49

J. Kappelman, J. Kelley, D. Pilbeam, K. A. Sheikh, S. Ward, M. Anwar, J. C. Barry, B. Brown, P. Hake, N. M. Johnson, S. M. Raza & S. M. I. Shah — The earliest occurrence of *Sivapithecus* from the middle Miocene Chinji Formation of Pakistan 61

Book reviews 75

Number 2
August 1991

ARTICLES

C. B. Ruff — Climate and body shape in hominid evolution 81

P. E. Wheeler — The thermoregulatory advantages of hominid bipedalism in open equatorial environments: the contribution of increased convective heat loss and cutaneous evaporative cooling . . 107

P. E. Wheeler — The influence of bipedalism on the energy and water budgets of early hominids 117

CURRENT EVENTS

B. Asfaw, Y. Beyene, S. Semaw, G. Suwa, T. White & G. WoldeGabriel — Fejej: a new paleoanthropological research area in Ethiopia . 137

J. G. Fleagle, D. T. Rasmussen, S. Yirga, T. M. Bown & F. E. Grine — New hominid fossils from Fejej, Southern Ethiopia . . . 145

Number 3
September 1991

ARTICLES

R. G. Tague — Commonalities in dimorphism and variability in the anthropoid pelvis, with implications for the fossil record 153

D. W. Krause — Were paromomyids gliders? Maybe, maybe not . . . 177

G. G. Pope — Evolution of the zygomaticomaxillary region in the genus *Homo* and its relevance to the origin of modern humans . . . 189

CURRENT EVENTS

C. V. Ward, A. Walker & M. F. Teaford — *Proconsul* did not have a tail 215

C. S. Feibel & F. H. Brown — Age of the primate-bearing deposits on Maboko Island, Kenya . 221

Book reviews 227

Announcements 240

Number 4
October 1991

ARTICLES

J. A. Van Couvering & J. A. Harris — Late Eocene age of Fayum mammal faunas 241

W. A. Neves & H. M. Pucciarelli — Morphological affinities of the first Americans: an exploratory analysis based on early South American human remains . . 261

J. K. McKee & S. B. Helman — Variability of the hominid juxtamastoid eminence and associated basicranial features 275

G. D. Koufos, G. E. Syrides & K. K. Koliadimou — A Pliocene primate from Macedonia (Greece) 283

CURRENT EVENTS

T. E. Cerling, J. Quade, S. H. Ambrose & N. E. Sikes — Fossil soils, grasses, and carbon isotopes from Fort Ternan, Kenya: grassland or woodland? 295

LEAD REVIEW

R. J. Blumenschine — Breakfast at Olorgesailie: the natural history approach to Early Stone Age archaeology 307

Number 5
November 1991

ARTICLES

T. Harrison, E. Delson & G. Jian — A new species of *Pliopithecus* from the middle Miocene of China and its implications for early catarrhine zoogeography . . 329

F. E. Grine, R. G. Klein & T. P. Volman — Dating, archaeology and human fossils from the Middle Stone Age levels of Die Kelders, South Africa 363

L. C. Aiello, C. Montgomery & C. Dean — The natural history of deciduous tooth attrition in hominoids . 397

Number 6
December 1991

ARTICLES

C. F. Spoor, P. Y. Sondaar & S. T. Hussain — A new hominoid hamate and first metacarpal from the Late Miocene Nagri Formation of Pakistan 413

L. F. Marchant & W. C. McGrew — Laterality of function in apes: a meta-analysis of methods . . 425

S. Hartwig-Scherer & R. D. Martin — Was "Lucy" more human than her "child"? Observations on early hominid postcranial skeletons 439

CURRENT EVENTS

R. J. Blumenschine & F. T. Masao — Living sites at Olduvai Gorge, Tanzania? Preliminary landscape archaeology results in the basal Bed II lake margin zone . . 451

H. H. Covert & B. A. Williams — The anterior lower dentition of *Washakius insignis* and adapid-anthropoidean affinities 463

LEAD REVIEW

S. C. Ward — Taxonomy, paleobiology, and adaptations of the "robust" australopithecines 469

Book reviews 485

Books received 497

Index

Aiello, L. C., Montgomery, C. & Dean, C. The natural history of deciduous tooth attrition in hominoids 397

Ambrose, S. H., see Cerling, T. E.

Anwar, M., see Kappelman, J.

Arredondo, O., see Rivero, M.

Asfaw, B., Beyene, Y., Semaw, S., Suwa, G., White, T. & Woldegabriel, G. Fejej. A new paleoanthropological research area in Ethiopia 137

Barry, J. C., see Kappelman, J.

Beyene, Y., see Asfaw, B.

Blumenschine, R. J. & Masao, F. T. Living sites at Olduvai Gorge, Tanzania? Preliminary landscape archaeology results in the basal Bed II lake margin zone . 451

Bown, T. M., see Fleagle, J. G.

Brown, B., see Kappelman, J.

Brown, F. H., see Feibel, C. S.

Cerling, T. E., Quade, J., Ambrose, S. H. & Sikes, N. E. Fossil soils, grasses, and carbon isotopes from Fort Ternan, Kenya: grassland or woodland? 295

Clark, J. D., see Schick, K.

Covert, H. H. & Williams, B. A. The anterior lower dentition of *Washakius insignis* and adapid-arthropoidean affinities 463

Dean, C., see Aiello, L. C.

Delson, E., see Harrison, T.

Etler, D., see Schick, K.

Feibel, C. S. & Brown, F. H. Age of the primate-bearing deposits on Maboko Island, Kenya 221

Fleagle, J. G., Rasmussen, D. T., Yirga, S., Bown, T. M. & Grine, F. E. New hominid fossils from Fejej, Southern Ethiopia 145

Grine, F. E., Klein, R. G. & Volman, T. P. Dating archaeology and human fossils from the Middle Stone Age levels of Die Kelders, South Africa 363

Grine, F. E., see Fleagle, J. G.

Hake, P., see Kappelman, J.

Harris, J. A., see Van Couvering, J. A.

Harrison, T., Delson, E. & Jian, G. A new species of *Pliopithecus* from the middle Miocene of China and its implications for early catarrhine zoogeography . . 329

Hartwig-Scherer, S. & Martin, R. D. Was "Lucy" more human than her "child"? Observations on early hominid postcranial skeletons 439

Helman, S. B., see McKee, J. K.

Houghton, P. Selective influences and morphological variation amongst Pacific *Homo sapiens* 49

Hussain, S. T., see Spoor, G. F.

Jian, G., see Harrison, T.

Johnson, N. M., see Kappelman, J.

Kappelman, J., Kelley, J., Pilbeam, D., Sheikh, K. A., Ward, S., Anwar, M., Barry, J. C., Brown, B., Hake, P., Johnson, N. M., Raza, S. M. & Shah, S. M. I. The earliest occurrence of *Sivapithecus* from the middle Miocene Chinji Formation of Pakistan 61

Kelley, J., see Kappelman, J.
Klein, R. G., see Grine, F. E.
Koliadimou, K. K., see Koufos, G. D.
Koufos, G. O., Syrides, G. E. & Koliadimou, K. K. A Pliocene primate from Macedonia (Greece) 283
Krause, D. W. Were paromomyids gliders? Maybe, maybe not 177
McGrew, W. C., see Marchant, L. F.
McKee, J. K. & Helman, S. B. Variability of the hominid juxtamastoid eminence and associated basicranial features 275
Mahieu, E., see Villa, P.
Marchant, L. F. & McGrew, W. C. Laterality of function in apes: meta-analysis of methods 425
Martin, R. D., see Hartwig-Scherer, S.
Masao, F. T., see Blumenschine, R. J.
Montgomery, C., see Aiello, L. C.
Neves, W. A. & Pucciarelli, H. M. Morphological affinities of the first Americans: an exploratory analysis based on early South American human remains . . 261
Pilbeam, D., see Kappelman, J.
Pope, G. G. Evolution of the zygomaticomaxillary region in the genus *Homo* and its relevance to the origin of modern humans 189
Pucciarelli, H. M., see Neves, W. A.
Qi, W., see Schick, K.
Quade, J., see Cerling, T. E.
Rasmussen, D. T., see Fleagle, J. G.
Raza, S. M., see Kappelman, J.
Rivero, M. & Arredondo, O. *Paralouatta varonai*, a new Quaternary platyrrhine from Cuba 1
Ruff, C. B. Climate and body shape in hominid evolution 81
Schick, K., Toth, N., Qi, W., Clark, J. D. & Etler, D. Archaeological perspectives in the Nihewan Basin, China 13
Semaw, S., see Asfaw, B.
Shah, S. M. I., see Kappelman, J.
Sheikh, K. A., see Kappelman, J.
Sikes, N. E., see Cerling, T. E.
Sondaar, P. Y., see Spoor, G. F.
Spoor, G. F., Sondaar, P. Y. & Hussain, S. T. A new hominid hamate and first metacarpal from the Late Miocene Nagri Formation of Pakistan . . . 413
Suwa, G., see Asfaw, B.
Syrides, G. E., see Koufos, G. D.
Tague, R. G. Commonalities in dimorphism and variability in the anthropoid pelvis, with implications for the fossil record 153
Teaford, M. F., see Ward, C. V.
Toth, N., see Schick, K.
Van Couvering, J. A. & Harris, J. A. Late Eocene age of Fayum mammal faunas . 241
Villa, P. & Mahieu, E. Breakage patterns of human long bones 27
Volman, T. P., see Grine, F. E.

WALKER, A., see WARD, C. V.
WARD, C. V., WALKER, A. & TEAFORD, M. F. *Proconsul* did not have a tail . . 215
WARD, S. C. Taxonomy, paleobiology, and adaptations of the "robust" australopithecines 469
WARD, S., see KAPPELMAN, J.
WHEELER, P. E. The influence of bipedalism on the energy and water budgets of early hominids 117
WHEELER, P. E. The thermoregulatory advantages of hominid bipedalism in open equatorial environments: the contribution of increased convective heat loss and cutaneous evaporative cooling 107
WHITE, T., see ASFAW, B.
WILLIAMS, B. A., see COVERT, H. H.
WOLDEGABRIEL, G., see ASFAW, B.
YIRGA, S., see FLEAGLE, J. G.



Digitized by the Internet Archive
in 2026

https://archive.org/details/journal-of-human-evolution_1991_21_index-contents